

CBL IN NUMBERS



UK COUNTIES covered across England and Wales



YEARS

of commitment and service



DEPOTS

across the South of England



SKILLED

Engineers out of 160 employees



CUSTOMERS ACROSS THE SOUTH OF THE UK



CONTENTS

- TAKEUCHI
 Mini, Midi & Full Size Excavators
- 6 THWAITES Dumpers
- 8 BOMAG
 Compaction Equipment
- 10 MERLO Telehandlers
- 12 ATLAS COPCO Inc. Compressors, Breakers, Generators & Pumps

- 14 MESSERSI Tracked Dumpers
- 16 EPIROC
 Breakers and Multi-Grabs
- 18 LIGHT EQUIPMENT Inc. Pumps, Generators, Saws & Attachments
- 21 USED EQUIPMENT
- SERVICE, PARTS AND FINANCE



MINI, MIDI & FULL SIZE EXCAVATORS



TB210R MICRO EXCAVATOR

1180kg weight Max dump height 2120mm Max dig depth 1755mm



TB216 THE UK'S NO.1 1.5 TONNE MINI

1.5 tonne weight class

Max dump height 2705mm

Max dig depth 2390mm



TB225 COMPACT EXCAVATOR

2.5 tonne weight classMax dump height 2875mmMax dig depth 2580mm



TB230 3 TONNE MINI EXCAVATOR

3 tonne weight class

Max dump height 3230mm

Max dig depth 2835mm



TB250 POWERFUL 5 TONNE MIDI EXCAVATOR

5 tonne weight class

Max dump height 4175mm

Max dig depth 3785mm



TB260 HIGH SPEC 6 TONNE EXCAVATOR

6 tonne weight class

Max dump height 4220mm

Max dig depth 3895mm



TB290 HIGH SPEC 9 TONNE EXCAVATOR

8 - 10 tonne weight class Max dump height 5260mm Max dig depth 4580mm



TB295W COMPACT WHEELED EXCAVATOR

10 tonne weight class

Max dump height 6480mm

Max dig depth 4115mm



TB2150 15 TONNE WITH OFFSET & BLADE

15 tonne weight class Max dump height 4175mm Max dig depth 3785mm



TB2150R MONO BOOM

Available with two piece boom and blade

15.6 tonne weight class Max dump height 7140mm Max dig depth 6060mm

OTHER TAKEUCHI EXCAVATOR MODELS AVAILABLE INCLUDE:

TB219 (2 tonne cab also available)

TB215R (Reduced Swing 1.5 tonne)

TB23R (Reduced Swing 2.5 tonne)

TB235 (3.5 tonne)

TB240 (4 tonne)

TB153FR (Reduced Swing 5.5 tonne)

TB280 (Reduced Swing STS 8 tonne)

Hybrid Micro & 1.5 tonne available

Other sizes are available. Contact the CBL sales team for more information on all models



DUMPERS

The Thwaites name is synonymous with the best-quality dumpers on the market. Advanced design and investment in tooling provide today's customers with the very best products at the cutting edge of technology. This means more than just the strength and reliability you know you can expect from Thwaites; it means an increased focus on customer satisfaction, safety and ergonomics across the range.

Thwaites specialise in dumpers, so you can be confident you are dealing with the experts. At every stage of the manufacturing process each component has passed the most stringent tests before the assembled dumper goes through its final pre-despatch inspection.

Consistently at the forefront of dumper design, Thwaites have answered customers' needs for more than six decades. At every stage of product advancement within the industry, Thwaites have been the innovators.



1 TONNE HI TIP HYDROSTATIC DUMPER

Max safe load 1000kg Unladen weight 1295kg Load-over height 1913mm



1 TONNE POWERSWIVEL DUMPER

Max safe load 1000kg
Unladen weight 1300kg
Skip loading height 1256mm



2 TONNE POWERSWIVEL DUMPER

Max safe load 2000kg Unladen weight 2280kg Load-over height 1781mm



3 TONNE HI SWIVEL MANUAL DUMPER

Max safe load 3000kg Unladen weight 2790kg Load over height 2000mm



3 TONNE POWERSWIVEL MANUAL DUMPER

Max safe load 3000kg
Unladen weight 2160kg
Skip loading height 1565mm



3 TONNE FRONT TIP MANUAL OR HYDROSTATIC

Max safe load 3000kg Unladen weight 2060kg Clearance diameter 9.2m



6 TONNE FORWARD TIP DUMPER

Max safe load 6000kg
Unladen weight 4200kg
Clearance diameter 12.6m



9 TONNE FRONT TIP DUMPER

Max safe load 9000kg Unladen weight 4740kg Clearance diameter 14m



9 TONNE DUMPER WITH CAB

Max safe load 9000kg Unladen weight 5110kg Clearance diameter 17.6m

Other sizes and combinations of spec available. Contact the CBL sales team for more information



COMPACTORS

Bomag started producing compaction equipment in 1957 in Boppard, Germany. They invented the concept of the vibratory roller and have remained at the forefront of compaction innovation and quality ever since.

Today Bomag offer a huge range of equipment of the highest standard and their commitment to quality of product and back up are undiminished.

Technical advice on compaction is also available as well as a variety of compaction aids such as the economiser. As with all Bomag equipment these are easy to use and efficient. Bomag's quality is reflected in their unparalleled re-sale values.



BVP10/35 SINGLE DIRECTION VIBRATORY PLATE COMPACTOR

Weight 65kg
Performance 2.6kW

Working width 350mm



BVP10/36 SINGLE DIRECTION VIBRATORY PLATE COMPACTOR

Weight 83kg
Performance 2.6kW

Working width 360mm



BVP18/45 SINGLE DIRECTION VIBRATORY PLATE COMPACTOR

Weight 104kg

Performance 3.1kW

Working width 450mm



BPR25/40D REVERSIBLE VIBRATORY PLATE

Weight 140kg
Performance 3.6kW
Working width 500mm



BW71E HEAVY DUTY SINGLE DRUM ROLLER

Weight 488kg
Performance 6.8kW
Working width 710mm



BW80 AD-5 LIGHT TANDEM ROLLER

Weight 1550kg
Performance 15.1kW
Working width 800mm



BW120AD-5 TANDEM ROLLER

Weight 2750kg
Performance 24.6kW
Working width 1200mm



BW 135 AD-5 ASPHALT ROLLER

Weight 4000kg
Performance 33.3kW
Working width 1300mm



BMP8500 REMOTE CONTROL MULTIPURPOSE ROLLER

Weight 1595kg
Performance 14.5kW
Working width 850mm

Other sizes are available. Contact the CBL sales team for more information on all models



TELEHANDLERS



P27.6 ULTRA COMPACT TELEHANDLER

2.7 tonne lifting capacity6.1m boom height

Max speed 40km/h



P38.13 TELEHANDLER

3800kg maximum load 12.6m maximum lift height Max speed 33m/h



ROTO 50.35 S-PLUS CUTTING EDGE TECHNOLOGY

2921mm max lift height 2438mm maximum reach 4949kg max capacity

Other sizes are available. Contact the CBL sales team for more information on all models





COMPRESSORS, GENERATORS, PUMPS, BREAKERS & PNEUMATIC TOOLS

Atlas Copco produce high quality compressors. pneumatic tools, petrol, hydraulic and pneumatic breakers, generators, pumps and lighting towers, amongst a whole host of other construction site equipment.

Their motto is sustainable productivity. By making breakers and hammers that minimise vibration and noise you are able to work successfully for many years to come. And as you gain experience, your work will improve. That's sustainability at its best.



High Performance Dewatering Pumps



TEX 05PE VIBRO -REDUCED HAMMER

6.5kg weight 450mm length 2640 blows/min

RTEX



TEX 09PE PNEUMATIC VIBRO-REDUCED HAMMER

560mm length 1800 blows/min

10.5kg weight



TEX 12PE VIBRO-REDUCED HAMMER

12kg weight 590mm length 1620 blows/min



PNEUMATIC BREAKER

Advanced Technology 780mm length 670mm length 840 blows/min

Very high power to weight ratio with low air consumption



TEX 230PE PNEUMATIC MEDIUM BREAKER

27kg weight 1320 blows/min



COBRA PROi PETROL BREAKER

23kg weight 877mm length 1440 blows/min



COMPRESSORS AND PUMPS

Quiet operation User friendly Highly efficient



LP 9-20 E **HYDRAULIC POWER PACK**

Weight inc. oil 68 kg Power 5.5kW Maximum pressure 150 bar



CHISELS AND POINTS

Available in multiple sizes Fits all breakers & hammers

Other sizes are available. Contact the CBL sales team for more information on all models



TRACKED DUMPERS



TC50 MINI DUMPER

500kg weight capacity 4.85kW engine power

Width 660mm



TC95d TRACKED DUMPER

950kg weight capacity 9.6kW engine power Width 800mm



TC120e FULL ELECTRIC TRACKED DUMPER

Maximum payload 800kg 4kW engine power Width 800mm

Other types, configurations, sizes and engine options available





BREAKERS, MULTI-GRABS & ATTACHMENTS



SB102 HYDRAULIC BREAKER

90kg service weight 250mm working length of tool Weight class 1.1t - 3t



SB302 HYDRAULIC BREAKER

300kg service weight 440mm working length of tool Weight class 4.5t - 9t



MG1000 MULTI-GRAB

1150kg weight capacity
Max jaw opening 1900mm
Weight class 12t - 20t

Other sizes are available. Contact the CBL sales team for more information on all models





LIGHT EQUIPMENT



HONDA EM2300 OPEN FRAMED GENERATOR

2300 watts
4 stroke engine
40kg weight



HONDA EU22i PETROL INVERTOR GENERATOR

1800 rated watts
3.6l capacity (Petrol)
21.1kg weight



ATLAS COPCO P3000 PORTABLE GENERATOR

AVR electric start

11 hours before refuelling

52kg weight



STEPHILL 3400HM OPEN FRAMED GENERATOR

Output 3.4kVA / 2.7kW 3.1l fuel tank (Petrol) 42kg weight



STEPHILL SSD6000S SILENCED YAMMAR GENERATOR

Output 6.0kVA / 4.8kW 24.0l fuel tank (Diesel) 210kg weight



HUSQVARNA K770 350MM CUT OFF SAW

Cylinder displacement 73.5cm³

Blade diameter 350mm

Output power 3.7kW



NORTON CLIPPER CM501 PETROL BENCH SAW

Supply voltage 4.8kW
Cutting depth 195mm
165kg weight

Also available in 110v



NORTON CLIPPER TILE SAW CM42

Width 620mm

Max blade diameter 400mm

Max cutting depth 135mm



NORTON CLIPPER CS451 FLOOR SAW

25I water tank
Petrol, diesel & electic options

450mm floor saw



WINGET 100T DIESEL SITE MIXER

Unmixed capacity 150l Drum speed 22 rev/min Machine weight 395kg



LB480 110v SUBMERSIBLE WATER PUMP

Max capacity 225l/min Bore 50mm Motor output 0.48kW



LB800 110v SUBMERSIBLE WATER PUMP

Max capacity 320l/min
Bore 50mm
Motor output 0.75kW

Contact the CBL sales team for more information on all models



DIGGA PDX-3 AUGER DRIVE UNIT

Rec flow range 30-55 LPM

Overall length 579mm

Max power 25kW



DIGGA A4 AUGER WITH MFT TEETH

Hub 65mm round

Overall length 1200mm

Flights (lead) 8mm



DIGGA MIN BIGFOOT TRENCHER

Cutting width up to 200mm

Weight 198kg Width 989mm



STIHL TS 410 COMPACT CUT-OFF SAW

Cutting wheel 300mm/12in

Performance 3.2kW

Vibration levels (3.9m/s²)



STIHL TS 420 COMPACT CUT-OFF SAW

Cutting wheel 350mm/14in

Performance 3.2kW

Capacity 66.7cm³



HUSQVARNA K770 WITH OIL GUARD

Output power 5hp

Blade diameter max 14 inches

Cutting depth max 5 inches



WESTERN GLOBAL H15ART-BLU BOWSER

Capacity 1500l
Weight unladen 1065kg

Weight laden 2425kg



WESTERN GLOBAL H250PWW PRESSURE WASHER

Poly water tank 1100 litres
Yanmar L100 diesel engine

Full capacity 241 gallons




WESTERN GLOBAL 20TCG TRANSCUBE

Fuel delivery/storage solutions

Capacity 2091I

Weight (full) 6508lbs





USED EQUIPMENT


At CBL we are always happy to purchase virtually any trade-in machine. We have even been known to take a 50ft Motor Yacht! As well as part exchange machines we would also be pleased to make an offer for any surplus plant and machinery you may wish to dispose of and regularly provide this service.

Our Used Equipment list is updated constantly and a weekly update is both emailed to anyone who wishes to receive it and posted on our website.

We can offer a full spectrum of services on used equipment from a simple check over and service to a full refurbishment.

Please contact our Used Equipment Department for details about equipment you are looking for or interested in from our list

Used Equipment Manager - Charlie Oakhill 07771 980511



CBL SERVICE

CBL has a team of around 50 highly trained and experienced service engineers at 7 depots located across the south of the UK, with the ability to service/maintain all types of plant and equipment across the sales range.

Whether you require on-site servicing, repair or full workshop overhaul/ rebuild, CBL can meet your needs. Each of the 7 depots has manufacturer trained engineers on-site and fully equipped workshops with OEM diagnostic hardware and software.

CBL Tracking Option

With the help of the "CBL Track" telematics systems, servicing can be carried out for a fleet of machines or just one, with automatic checks based on hours run or date for ease and simplicity.

Fixed Price Servicing

Ask us for details and a quotation.

CBL PARTS

Our knowledgeable parts personnel are on hand to deal with your enquiries efficiently and effectively, ensuring the right parts arrive on time. The experienced team will offer advice on your exact requirements and can provide guidance where needed.

As recognised dealers for the industry-leading brands of compact equipment, CBL has the ability to supply competitive prices across a broad range.

CBL also supplies XT Rubber Tracks, which come with a 24 month warranty.

For more information please contact our parts sales team on 0345 241 7922 and parts@cbl.co.uk.

CBL FINANCE



Offering a full range of finance options with straight forward plans from partners such as De Lage Landen (DLL), you can be sure to find flexible finance solutions at competitive rates.

A representative from DLL is the best point of contact to discuss finance plans with, to meet your exact requirements.



HIRE PURCHASE TO LEASE



LEASE AND CONTRACT HIRE



TAILORED FINANCE PACKAGES



FOR MORE INFORMATION CONTACT OUR LOCAL SALES TEAM

Berkshire, Oxfordshire & South Buckinghamshire

Simon Perkis - 07500 924 259 simon.perkis@cbl.co.uk Newbury Depot - 01635 254441

Somerset & Bristol

Phillip Hooper - 07909 535 851 phillip.hooper@cbl.co.uk Bristol Depot - 01275 372229

Wiltshire & Gloucestershire

Steve Ruddell - 07909 686 571 steve.ruddell@cbl.co.uk Bristol Depot - 01275 372229

South Wales & Gloucestershire

Simon Richards - 07920 711 976 simon.richards@cbl.co.uk Bridgend Depot - 01656 743231

Hamnshire. Dorset & Isle of Wight

Michael Anderson - 07917 050 787 michael.anderson@cbl.co.uk Southampton Depot - 02380 696100

North London, Essex, Kent &

Sam Ireland - 07786 686 076 sam.ireland@cbl.co.uk Maidstone Depot - 01622 719957

Sussex & Surrey

Mark White - 07836 220 476 mark.white@cbl.co.uk Crawley Depot - 01293 851352

Surrev. East & West Sussex

Mike Lockie - 07786 335 561 mike.lockie@cbl.co.uk Crawley Depot - 01293 851352

Devon & Cornwall

Mark Crocker - 07748 900 495 mark.crocker@cbl.co.uk Saltash Depot - 01752 848448